


MAGELLANO 50

HULL N. 30

The unit is a second hand motoryacht selected by Azimut Yachts Service Team to guarantee the maximum peace of mind to the future owners searching for a pre-owned vessel. All boats which are part of the *Azimut Second Hand Selection* program, are carefully inspected by undergoing more than 100 controls.

MODEL YEAR: 2013



CHECKED AND CERTIFIED BY AZIMUT-BENETTI SPA

MAGELLANO 50



Location: Miami

Price: \$ 949.000

MAIN CHARACTERISTICS

Builder: Azimut Yachts Model Year: 2013

Engines hours: 190 hours

Length overall: 51'3"
Beam overall: 15'3"
Draft (incl. props at full load) 4'4"

Fuel DIESEL
Max speed max: 20 knots
Cruising speed: 16 knots

Cabins: 3 + dinette convertible into berth

Heads:



CHECKED AND CERTIFIED BY AZIMUT-BENETTI SPA

FUEL CONSUMPTION

MAGELLANO 50				
RPM	Vel (Kn)	US G/h 2 engines	Range hours	Range nm*
1100	7	3,17	233,3	1.633
2400	15,5	23,77	31,1	482
3000	20	41,21	17,9	359

^{*}theoretical range calculated on 739,6 US gallons

OPTIONAL INSTALLED ON BOARD


- Active stabilizations fins
- Gangway
- Xenta Joystick
- Predisposition for watermaker
- Intruder Humphree
- Raymarine digital antenna 72nm open array
- Painted hull (blue)
- Underwater lights
- Table at bow convertible in sunbathing cushions
- Cockpit table in teak
- Soft top
- Teak in cockpit
- Bimini top at bow
- Cockpit chairs (n.2)
- Back-lighted stainless steel name on transom
- Third cabin on starboard
- Openable top in galley
- Hi-low salon foldable table
- Dinette in lower deck convertible into bed
- Double racor filters for engines
- Racor filter for generator
- TV SAT system M5
- LCD TV in saloon
- LCD TV in master cabin
- Bose sound system in saloon
- MIELE ceramic hob
- Set of linen
- Set of towels
















































CHECKED AND CERTIFIED BY AZIMUT-BENETTI SPA

AZIMUT SECOND HAND SELECTION PROGRAM

- Inspection carried out by the manufacturer Service Team (more than 100 controls)
- Survey report and list of interventions
- Maintenance and repair activities
- Engines check
- Generators check
- Antifouling
- Partial or full polishing
- Zinc anode replacement
- Replacement of upholstery, cushions and mattresses (upon request and/or if needed)



CHECKED AND CERTIFIED BY AZIMUT-BENETTI SPA

CHECK LIST DETAIL

Freshwater system

- 1.1 Water level gauge (calibration)
- 1.2 Taps in bathrooms, galley, engine room and fly bridge (dispensing)
- 1.3 Cockpit shower
- 1.4 Water pressure pump (min.-max. and reset calibration, pressure 1.5 bar)
- 1.5 Tanks
- 1.6 Couplings and valves (intercommunicating)
- 1.7 Pipes
- 1.8 Sink and shower wastes
- 1.9 Grey water holding tank and automatic emptying system
- 1.10 *Desalination kit

Head system

- 2.1 Black water tank
- 2.2 Pump and dump valve
- 2.3 Pipes
- 2.4 Couplings
- 2.5 Sea outlet

Battery

- 3.1 Battery electrolyte level (with densimeter)
- 3.2 Charge level
- 3.3 Battery terminal tightness
- 3.4 Battery cut-out terminal tightness

Power generators

- 4.1 *220 V generator power supply
- 4.2 *Cooling system and generator discharge
- 4.3 Battery charger and charge cycle amperage

Electric system

5.1 Interior lighting

(spots, lamps and neon lights)

- 5.2 Outside lighting
- 5.3 Navigation lights
- 5.4 Water heater
- 5.5 Microwave oven
- 5.6 Adjustable spot
- 5.7 Refrigerator
- 5.8 *Washer-dryer
- 5.9 *Dishwasher

- 5.10 Electric system Hob
- 5.11 *Ice-maker
- 5.12 *Fridge on fly bridge
- 5.13 TV and stereo system with speakers
- 5.14 *Windlass and winch (controls: bow, fly

bridge and helm station)

- 5.15 Horn
- 5.16 Trim tabs (indicators and Auto Tab*)
- 5.17 Chain metre counter
- 5.18 Side sliding glass windows
- 5.19 Windscreen wiper-washers
- 5.20 Chain wash down pump
- 5.21 Engine room ventilation and pipe positions
- 5.22 Batteries parallel
- *Air conditioning
- 7.1 Compressors
- 7.2 Fan coil
- 7.3 Cooling pump and filters
- 7.4 Fan controls

Engine instruments

- 8.1 Rev counter-hour counter
- (Fly bridge and saloon)
- 8.2 Optical and acoustic alarms

(test/mute)

- 8.3 Engine start and stop controls
- 8.4 Ammeter and/or voltmeter
- 8.5 Engine and marine gear oil pressure gauges
- 8.6 Engine coolant temperature gauge

Fuel circuit

- 9.1 Tanks/Tank
- 9.2 Fuel gauge (calibration)
- 9.3 Emergency solenoid valves
- 9.4 Engine and generator separator filters
- 9.5 Pipes and couplings (intercommunicating)

Engines

- 10.1 Engines Flange tightness
- 10.2 Bleeders
- 10.3 Sea intakes and filters
- 10.4 Oil and antifreeze levels

Helm system

- 11.1 Helm pumps and autopilot operation
- 11.2 Piston operation
- 11.3 Pipe seals



CHECKED AND CERTIFIED BY AZIMUT-BENETTI SPA

Navigation electronics

12.1 Log-echo sounder

12.2 *Automatic pilot and pump

12.3 VHF radiotelephone

12.4 *GPS-plotter

12.5 *Radar

12.6 Magnetic compass

12.7 *Engine controls

Fire extinguishing system

13.1 Extinguisher charge

13.2 Air intake closure

*Hydraulic gangway

14.1 Up, down, retract and extend

14.2 Remote control

14.3 Piston support bolt tightness

14.4 *Oil and bleeder levels

*Bow thruster

15.1 Control panels (fly bridge and helm station)

15.2 Engine connections

15.3 Oil level

16 Hinges on cabinets and doors

17 Drawer closure

External drainage

18 Fly bridge, deck and walkway discharge

outlets

19 Seawater intakes and filters

Bilge pump

20.1 Pumps (rotor cleaning)

20.2 Automatic switches

(foil cleaning and calibration)

20.3 Connections

Boat on shore

21.1 Check and replacement, if needed, of zinc

anodes (hull, propellers, trim tabs)

21.2 Check of axles, propellers and U-bolts

21.3 Cleaning of hull and reapplication of

antifouling product

21.4 Check of seawater outlets and exhausts

21.5 Outside control of seawater intakes and

echo/log probes

21.6 Setting the though-hull mounting adaptor

* these items are not fitted as standard on all boats

